

# TRIANGLE ENVIRONMENTAL SCIENCE & ENGINEERING INC.

Originated in 1990 by John F. (Jack) Burst, Triangle Environmental, for over 25 years, has been providing quality Professional Environmental services throughout southern and south central Missouri



John Cable, Owner of Triangle Environmental, with Jack Burst, founder of the company.

John received his B.S. and M.S. in Geological engineering from the University of Missouri-Rolla

**Our company continues to grow by maintaining excellent relationships with our clients and seeking new customers. Triangle would like to help you with your environmental needs.**

.....Please give us a call!!.....

## Personnel and Affiliates

John W. Cable.

Registered Geologist

B.S. M.S. Geological Engineering

University of Missouri Rolla

triangle.environmental@gmail.com

Corrie Petschonek

Masters Business Administration

Webster University

Darrell Angleton

Herlacher Angleton LLC

Registered Geologist B.S.

Geological Engineering University of Missouri-Rolla

Carolyn Edwards

Herlacher Angleton LLC B.S.

Geological Engineering University of Missouri-Rolla

John W Cable Junior

B.S.

Drury University


Environmental Professional

**TRIANGLE**  
Environmental Science & Engineering

TRIANGLE ENVIRONMENTAL  
SCIENCE & ENGINEERING INC.

P.O. BOX 1026  
ROLLA, MO 65402

Cell: 573-308-0140  
Office/Fax: 573-364-1864  
Email: triangle.environmental@gmail.com



# LEAD

**Infants biting toys coated with lead paint may suffer from -**

**Abdominal pain  
Attention deficit disorder  
Learning disabilities  
Kidney damage  
Loss of appetite  
Constipation  
Hearing loss  
Seizures**



## HEALTH/SAFETY INSPECTIONS

P.O. BOX 1026 triangle.environmental@gmail.com

ROLLA, MO 65402 www.triangleenvironmentalrolla.com

573-308-0140 Cell

573-364-1864 Office

**T**  
**TRIANGLE**

# LEAD INSPECTIONS

## LEAD

Lead remains in approximately 74 % of all housing built before 1978. It was commonly added to house paint until 1978 when the Consumer Product Safety Commission restricted the amount of lead added to household paint.

The chipping, peeling or chalking of lead paint is a common source of lead dust. This lead paint dust gathers on floors, carpeting and windowsills. This dust is then easily collected on hands, feet, skin, and ingested by infants, children and adults.

Lead paint dust is the most common source of lead exposure for children. Dust may also collect on toys, bottles, pacifiers and other objects which children may put into their mouths.

Lead dust is also increased after older lead painted walls have been disturbed through remodeling or repainting. Home renovations and remodeling contribute to nearly half of the childhood lead poisonings in Missouri.

Soil can also become contaminated with lead due to the breakdown of lead-based paint on buildings and lead paint on playground equipment.

Although lead can affect almost every part of your body, it usually targets the oxygen carrying red blood cells first. In time, it will attack the nervous system.

## THE SIGNS AND SYMPTOMS OF LEAD POISONING IN CHILDREN MAY INCLUDE:

- ◆ Irritability
- ◆ Loss of appetite
- ◆ Weight loss
- ◆ Sluggishness and fatigue
- ◆ Abdominal pain
- ◆ Vomiting
- ◆ Constipation
- ◆ Unusual paleness from anemia
- ◆ Learning difficulties

## Lead exposure

*About 310,000 U.S. children ages 1 to 5 have elevated blood lead levels, which can accumulate over months and years and cause serious health problems.*

### Effects on children

- Kids absorb up to 70 percent of lead, adults about 20 percent
- Often undetected; no obvious symptoms
- Can lead to learning disabilities, behavioral problems, malformed bones, slow growth
- Very high levels can cause seizures, coma, death

### Sources

- Lead-based paint, contaminated dust in homes built before 1978
- Drinking water from lead pipes
- Contaminated food
- Soil (lead does not biodegrade, decay)
- Toys\*

### What parents can do

- Have child screened if there is concern of lead exposure
- Frequently wash child's hands, toys, pacifiers
- Only use cold tap water for drinking, cooking
- Test paint, dust in home if it was built before 1978

\*Old toys with lead paint a known risk, but new toys from China now have come under scrutiny  
Source: U.S. Centers for Disease Control and Prevention, U.S. Department of Health and Human Services  
© 2007 MCT

## SYMPTOMS IN ADULTS

Lead poisoning is also dangerous for adults. Exposure to lead may increase the risk of high blood pressure and mental decline in the future.

### Symptoms in adults may include:

- ◆ Pain, numbness or tingling of the extremities
- ◆ Muscular weakness
- ◆ Headache
- ◆ Abdominal pain
- ◆ Memory loss
- ◆ Mood disorders
- ◆ Reduced sperm count, abnormal sperm
- ◆ Miscarriage or premature birth in pregnant women
- ◆ Fatigue

**TRIANGLE**  
Environmental Science & Engineering

## TRIANGLE ENVIRONMENTAL SCIENCE & ENGINEERING INC.

P.O. BOX 1026  
ROLLA, MO 65402

Cell: 573-308-0140  
Office/Fax: 573-364-1864  
Email: [triangle.environmental@gmail.com](mailto:triangle.environmental@gmail.com)